

SAFETY DATA SHEET

5520 PART B

Page 1

Issued: 07/06/2007

Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: 5520 PART B

Product code: 5520B

Company name: Holdtite Adhesives

Shadon Way

Portobello Industrial Estate

Birtley

Co. Durham

DH3 2RE

Tel: +44(0)191 4113191

Fax: +44(0)191 4113192

Email: andrew.collins@holdtite.com

2. HAZARDS IDENTIFICATION

Main hazards: May cause harm to the unborn child. Irritating to eyes. May cause sensitisation by skin contact.
Very toxic to aquatic organisms. Possible risk of impaired fertility.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: DIBUTYL PHTHALATE 10-30%

EINECS: 201-557-4 CAS: 84-74-2

[T] R61; [N] R50; [Xn] R62

- DIBENZOYL PEROXIDE 10-30%

EINECS: 202-327-6 CAS: 94-36-0

[E] R2; [Xi] R36; [Sens.] R43

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

[cont...]

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: DIBENZOYL PEROXIDE
WEL (8 hr exposure limit): 5 mg/m³

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: DIBUTYL PHTHALATE
ORL MUS LD50 3474 mg/kg
ORL RAT LD50 7499 mg/kg
SKN RAT LDLO 6 gm/kg

- DIBENZOYL PEROXIDE
ORL MUS LD50 5700 mg/kg
ORL RAT LD50 7710 mg/kg

Chronic toxicity: May cause sensitisation by skin contact.

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: 2810	ADR Class: 6.1
Packing group: III	Classification code: T1
Shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (DIBUTYL PHTHALATE)	
Labelling: 6.1	Hazard ID no: 60

IMDG / IMO

UN no: 2810	Class: 6.1
Packing group: III	EmS: F-A,S-A
Marine pollutant: .	Labelling: 6.1

IATA / ICAO

UN no: 2810	Class: 6.1
--------------------	-------------------

Packing group: III

Packing instructions: 611(P&CA); 618(CAO)

Labelling: 6.1

15. REGULATORY INFORMATION

Hazard symbols: Toxic.

Dangerous for the environment.



Risk phrases: R61: May cause harm to the unborn child.

R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

R50: Very toxic to aquatic organisms.

R62: Possible risk of impaired fertility.

Safety phrases: S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S38: In case of insufficient ventilation, wear suitable respiratory equipment.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S53: Avoid exposure - obtain special instructions before use.

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

Precautionary phrases: Restricted to professional users.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.2: R61: May cause harm to the unborn child.

R50: Very toxic to aquatic organisms.

R62: Possible risk of impaired fertility.

R2: Risk of explosion by shock, friction, fire or other sources of ignition.

R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.